

간호 · 보건학 분야 필수 학술 정보원

CINAHL[®] *Plus* *with Full Text* 이용 가이드



이용 가이드를 확인해도 아직 이용하기 어렵다면?
고민 말고 QR코드 확인!

2020 January



간호/보건 관련 학과의 연구 조사를 위한 최적의 학술 정보원

제공 범위:

- 5,500+ 종의 간호/보건학 주제 분야 학술 출판물 색인(Index) 완료
간호학, 보건의학, 사회복지학, 임상의학 등 광범위한 포함한 50개 이상의 간호학 주제분야 수록
- 742+ 종의 학술 출판물 원문(Full-text) 제공
- 간호/보건학 주제 전문가가 제작한 주제어 분류(CINAHL Headings)에 따른 검색/탐색 기능 제공

Cumulative Index to Nursing and Allied Health Literature

학술검색을 위한 기본 용어 익히기 (필수)

- **학술 데이터베이스:** 학술 DB라고도 하며, 보통 한 주제분야의 **학술정보를 찾아볼 수 있는 사이트 또는 정보원** (e.g. CINAHL = 학술 DB)
- **저널(학술지):** 학술 기사 또는 아티클들의 모음집 (e.g. 대한간호학회지, Journal of British Nursing)
- **기사 or 아티클:** 학술적인 내용을 담은 저널 내 **개별 논문 단위를 이르는 말** (e.g. 간호사의 의사소통기술에 대한 간호사와 환자의 인식 차이 연구)
- **초록(Abstract):** 논문의 내용을 한 단락(200-300자 내외) 정도로 간단하게 요약하여 소개하는 **논문의 개요**
- **ISSN:** 보통 8자리 숫자로 되어 있으며, 보통 학술저널의 식별 기호 (e.g. 1821-1231, 0966-0461)

- **인용(Citation):** 본인의 연구나 논문, 리포트 등을 작성할 때 **인용을 하기위한 방법이나 그 자체 (참고문헌 작성)** 를 이르는 단어

★ **간호/보건학 분야에서 중요한 인용 형식 = APA 형식, Vancouver 형식**

- 1) **APA 형식:** 이미애, 변금순, & 강선주. (2017). 병원간호사의 법에 대한 지식, 의식과 실천의지 간의 관계. *Journal Of Korean Academy Of Nursing Administration*, 23(3), 290-300. doi:10.11111/jkana.2017.23.3.290
- 2) **Vancouver 형식:** 이미애, 변금순, 강선주. 병원간호사의 법에 대한 지식, 의식과 실천의지 간의 관계. *Journal Of Korean Academy Of Nursing Administration* [serial on the Internet]. (2017, June), [cited September 3, 2017]; 23(3): 290-300. Available from: CINAHL Plus with Full Text.


= APA 및 Vancouver 형식은 자동으로 CINAHL에서 완성하여 제공함 (슬라이드 20페이지 참고)

주요 학술저널 원문(Full-text) 제공 범위



2002 to present

*American Journal of
Critical Care*




2005 to present

*Journal of Chinese
Medicine*



2003 to present

*American Journal of
Public Health*



2006 to present

*Environmental Health
Perspectives*



1998 to present

12-month Embargo
Medical Education



1999 to present

MEDSURG Nursing




2006 to present

*Professional
Nursing Today*




2009 to present

*International Journal
Of Nursing Education*



2002 to present

*British Journal of
Community Nursing*



1992 to present

*British Journal of
Nursing (BJN)*

주요 제공 콘텐츠 - Quick Lesson (질병 및 상태에 대한 요약 정보)

- 질병 및 상태정보 (간호사에게 필요한 질병/상태에 대한 일반 요약 정보)
- 정의 / 발병요인 / 증상 / 수행과제 / 치료목적 / 식이요법 / 주의사항 / 환자, 환자 가족 전달 사항 / Reference

EBSCOhost

Click!

접속방법

더 보기 ▼

- 자료
- 인용된 참고문헌
- 이미지
- 색인

Click!

검색

찾아보기: CINAHL Complete -- Quick Lessons

hepatitis

알파벳순 관련도순

페이지: 이전 다음

항목을 1개 이상 선택하고 클릭

Search

Click!

PDF 전문

Click!

1. Hepatitis A

Schub, Tanja; Pravikoff, Diane; In: CINAHL Nursing Guide; 2018 Jan 12; (Quick Lesson)

주제: Hepatitis A Diagnosis; Hepatitis A Epidemiology; Hepatitis A Etiology; Hepatitis A Risk Factors; Hepatitis A Symptoms; Hepatitis A Therapy; Patient Education

QUICK LESSON

Hepatitis A

Description/Etiology

Hepatitis A is a liver infection caused by the hepatitis A virus (HAV). Although usually self-limiting, in rare cases infection with HAV leads to acute liver failure.

HAV is highly contagious and spreads primarily through the fecal-oral route from person-to-person contact or by ingesting contaminated food or water. HAV can also be transmitted through sexual intercourse. Humans appear to be the only reservoir for HAV.

Symptoms develop after with HAV involves flu-like (also called prodromal) individual can be asymptomatic, fatigue, malaise, fever, 2-4 weeks and in chronic stools, pruritus, skin rash and spleen, and jaundice. Although symptoms of with symptomatic acute. Unlike hepatitis B and C, diagnosis is based on a HAV. Conditions that include hepatitis B, C, cytomegalovirus, herpes hepatitis, toxoplasmosis, and treatment for hepatitis relief: good nutrition at damage). Patients who complications include a pure red cell aplasia, tri and fulminant hepatic, 4 development of acute liver failure.

HAV vaccination provides the HAV vaccine can be Disease Control and Prevention (CDC) children 1 year and 6 months (1) can be used, before traveling to endemic countries of individuals.

Hepatitis A affects 1.4 billion people in the U.S. As HAV infection, areas in include urban Africa, A is the most. Although 1

just 1-2% of adult patients with hepatitis A develop fulminant hepatic failure. About 60% of patients with fulminant hepatic failure recover without receiving a liver transplant.

In 2015, a total of 1,390 cases of hepatitis A were reported in the U.S., according to underreporting and underreporting, the actual number of cases may likely to be closer to 2,800. Hospitalization was required in 87.2% of patients diagnosed with hepatitis A and 1.0% died because of the infection (CDC, 2017b). In 2015, just 9.0% of adults in the U.S. had received ≥ 2 doses of hepatitis A vaccine. Vaccine coverage was higher among adults who had traveled to a country of high or intermediate hepatitis A endemicity (16.0%) than in those who had not (5.4%; Williams et al., 2017).

Risk Factors

Risk factors for acquiring HAV include exposure to overcrowded, unsanitary areas with inadequate sewage treatment, food and vegetables (e.g., green onions, scallions, peas), household or sexual contact of infected persons, international travelers, residents and staff of residential care facilities, and employees of research laboratories.

Signs and Symptoms/Clinical Presentation

Signs and symptoms can include dark urine, right upper quadrant abdominal tenderness, fever, pruritus (i.e., small red or purple spots on the skin) and jaundice. Other children and adults.

Assessment

• Patient History

- Ask about potential exposures and history of endemic areas, and occupation (e.g., child care).

• Laboratory Tests That May Be Ordered

- Urine: Urine testing can detect HAV during V.
- Serologic tests for antibodies
 - Anti-HAV IgG can indicate past HAV infection.
 - Complete blood count (CBC) commonly shows leukopenia.
 - Serum glucose levels are decreased in severe.
 - Prothrombin time (PT) is usually normal, but liver function tests might show markedly increased aspartate aminotransferase (ALT) and alanine aminotransferase (AST).
 - Older adults with HAV typically have high bilirubin levels.
 - Histologic examination of hepatic tissue can show loss with ballooning in many of the hepatocytes.

• Other Diagnostic Tests/Studies

- Although imaging studies are usually unremarkable, they may be useful in assessing patients with fulminant hepatic failure.

Treatment Goals

• Prevent Transmission and Maintain Optimal Health

- Monitor vital signs including temperature, as diagnostic study results; immediately report if fever develops.
- Administer prescribed HAV vaccine or Ig if a prescribed antemortem (e.g., nursing home) fever, although these should be used cautiously.
- HAV vaccine is preferred over Ig for long-term protection.

• Educate and Provide Emotional Support

- Assess anxiety level and coping ability; educate and encourage discussion about HAV pathophysiology, potential complications, treatment risks and benefits, prevention strategies, and individualized prognosis.

Foods for Thought

• The authors of a recent systematic review identified 27 studies on the efficacy of universal mass vaccination against the HAV, all but one of which showed a significant decline in the incidence of hepatitis A after introduction of a mass vaccination program. Vaccination reduced the incidence of hepatitis A in both vaccinated and unvaccinated groups (Sturm et al., 2017).

• Although rare cases of HAV transmission through blood transfusion have been reported, no cases of transmission through organ transplantation had been documented until August 2015, when a case of HAV transmission through combined liver-small intestine-pancreas transplantation occurred in Texas (Foster et al., 2017).

Red Flags

• Signs and symptoms associated with the need for liver transplantation include jaundice for > 7 days followed by encephalopathy, increased serum bilirubin > 17 mg/dL, and PT > 25 seconds.

• Avoid hepatotoxic agents (e.g., acetaminophen, alcohol) that can potentially damage the liver.

• Age is the most important determinant of disease severity, with most fatal cases occurring in patients > 50 years. Significant comorbidities or concurrent chronic liver disease are also associated with poor prognosis.

• Patients who develop HAV infection after the age of 11 years of age cannot donate blood.

What Do I Need to Tell the Patient/Patient's Family?

• Provide written information on HAV, if available, to reinforce verbal education; educate about strategies for preventing transmission, including:

- Frequent hand washing and vaccination with HAV vaccine for family members or friends who have been exposed or plan to travel to endemic countries.
- Avoiding school or work for 10 days after the onset of jaundice.
- Avoiding sharing food and utensils, and not cooking for others until jaundice subsides.
- When traveling, avoid raw and undercooked meats and fish, drink bottled water or boiled tap water, and avoid ice cubes and lemon in drinks.
- High temperatures (e.g., boiling, cooking food or liquids for at least 1 minute at 185 °F or 85 °C) kill HAV; freezing temperatures do not kill HAV.

• Stress the need to avoid alcohol and drugs that can damage the liver and to discuss all over-the-counter, herbal, and prescription drugs with the clinician or pharmacist before taking.

• Recommend obtaining additional information from the American Liver Foundation at <http://www.liverfoundation.org> and the CDC at <http://www.cdc.gov/hepatitis/index.htm>.

References

1. American Academy of Pediatrics. (2011). Recommendations for administering hepatitis A vaccine to contacts of international adoptees. Pediatrics, 128(4), 803-804.

2. Advisory Committee on Immunization Practices. (2007). Update: Prevention of hepatitis A after exposure to hepatitis A virus and in international travelers. Updated recommendations of the Advisory Committee on Immunization Practices (ACIP). Morbidity and Mortality Weekly Report, 56(11), 3085-3094.

예시

주요 제공 콘텐츠 - Evidence-based Care Sheets (근거중심 간호정보)

- 근거중심 간호정보 (간호사에게 필요한 임상질의에 대한 요약 정보)
- What We Know / What We Can Do / Reference / Coding Matrix (근거 정도 - SR, RCT 등)

새 검색 출판물 CINAHL 주제 근거 중심 관리 시트 Click! 로그인 폴더 환경설정

접속방법

EBSCOhost

찾아보기: CINAHL Complete -- Evidence-Based Care Sheets

Hand Hygiene

☒ 알파벳순 ☐ 관련도순

페이지: < 이전 다음 >

항목을 1개 이상 선택하고 클릭

☒ Hand Hygiene

☐ Heat

1. Hand Hygiene

Schub, Tanja; Oji, Obiamaka; Pravikoff, Diane; In: CINAHL Nursing Guide; 2018 Jul 06; (Evidence-Based Care Sheet)

주제: Cross Infection Prevention and Control; Handwashing Methods; Health Personnel; Infection Control; Propanols Therapeutic Use

Click!

EVIDENCE-BASED CARE SHEET

Hand Hygiene

What We Know

- Hand hygiene involves the act of cleaning the hands of microorganisms by handwashing (i.e., washing with soap and water), applying an antiseptic hand rub (i.e., alcohol-based foam or gel sanitizer), or performing a surgical hand scrub.⁽¹⁾
- Proper performance of hand hygiene by healthcare professionals is the most important factor in the prevention of healthcare-associated infection (HAI), formerly called hospital-acquired infection.⁽²⁾
- Researchers have found that the use of alcohol-based hand rubs (ABHR) is more effective than handwashing with soap and water in reducing the incidence of HAI and increasing adherence to protocols for performing hand hygiene.^(3,4)
- Alcohol-based hand rubs are solutions that contain one or more types of alcohol, including ethanol, isopropanol, and N-propanol, that are rubbed thoroughly over the hands to kill microorganisms on the skin.^(5,6)
- Alcohol-based hand rubs kill microbes by denaturing proteins.^(7,8)
- Alcohol-based hand rubs were found to be more effective than soap and water in reducing the incidence of HAI and increasing adherence to protocols for performing hand hygiene.^(9,10)
- Disinfectant hand rub solutions containing 60-100% alcohol are effective in reducing the incidence of HAI and increasing adherence to protocols for performing hand hygiene.^(11,12)
- Alcohol-based hand rubs remove more microbes than handwashing with soap and water.^(13,14)
- Alcohol-based hand rubs appear to have greater effectiveness than handwashing with soap and water in reducing the incidence of HAI and increasing adherence to protocols for performing hand hygiene.^(15,16)
- More recently, researchers report that alcohol-based hand rubs are more effective than handwashing with soap and water in reducing the incidence of HAI and increasing adherence to protocols for performing hand hygiene.^(17,18)
- Performing hand hygiene with either non-antiseptic or antiseptic hand rubs are more effective than handwashing with soap and water in reducing the incidence of HAI and increasing adherence to protocols for performing hand hygiene.^(19,20)
- Currently, alcohol-based hand rubs are recommended for use in the clinical setting.^(21,22)
- Hands should be thoroughly dried after using an alcohol-based hand rub.^(23,24)
- The United States Centers for Disease Control and Prevention (CDC) recommends the use of alcohol-based hand rubs for hand hygiene.^(25,26)
- General technique for performing hand hygiene: 1) amount of product to hands recommended by the covering all surfaces of the hands and fingers; 2) the time to protect the skin when using off the hands; 3) the use of warm water instead of hot and mild contact dermatitis.^(27,28)
- Use of antimicrobial or non-antimicrobial soap is recommended for hand hygiene in the clinical setting.^(29,30)
- It is widely recognized that improved adherence to hand hygiene is critical to reducing the incidence of HAI.^(31,32)

What We Can Do

- Learn about recommendations for hand hygiene in order to reduce the incidence of HAIs in your facility and increase patient and staff safety; share the information with your colleagues.
- Model good hand hygiene techniques to your colleagues and patients; volunteer to assist with healthcare worker training for correct and effective use of alcohol-based hand rub solutions and proper techniques for performing hand hygiene using soap and water.
- Collaborate with your facility's infection prevention and education departments to provide education for clinicians of all specialties regarding strategies for avoiding cross-contamination with microorganisms and other strategies to reduce incidence of HAIs.

예시

주요 제공 콘텐츠 - Evidence-based Care Sheets (근거중심 간호정보)의 활용 예시

Q. Crush Injury and Crush Syndrome (압궐 손상 및 압궐 증후군; 크러시 증후군)에 대한 Evidence-based Care Sheet (근거중심 간호정보)를 찾아 Crush Injury 또는 Crush Syndrome에 가장 흔히 쓰이는 실험실 테스트 (laboratory tests)를 나열해 보세요.

A. Crush Injury and Crush Syndrome 검색 후 본문 내용에서 주요 실험실 테스트 확인

The screenshot shows the EBSCOhost CINAHL Complete interface. At the top, there's a navigation bar with '새 검색', '출판물', 'CINAHL 주제', and '근거 중심 관리 시트'. A red box highlights the 'Click! 1' button next to '근거 중심 관리 시트'. Below this, the '주제' (Topic) section shows '찾아보기: CINAHL Complete -- Evidence-Based Care Sheets' and a search box containing 'Crush Injury and Crush Syndrome'. A red box highlights the 'Search' button, labeled 'Click! 3'. On the left, a list of topics is shown, with 'Crush Injury And Crush Syndrome' selected and highlighted with a red box labeled '2'. Below this list, a red arrow points to the 'PDF 전문' (PDF Full Text) button, labeled 'Click! 4'.

The screenshot shows the 'EVIDENCE-BASED CARE SHEET' for 'Crush Injury and Crush Syndrome'. The title 'Crush Injury and Crush Syndrome' is prominently displayed. Below the title, the section 'What We Know' contains a definition: 'A crush injury is a direct injury to one or more body parts that results from prolonged and/or excessive pressure. A crush injury—even if it does not involve vital organs—can lead to permanent disability or death^(4,7)'. A red box highlights the text 'Laboratory tests most commonly performed in crush injuries include the following⁽²⁾', labeled '5'. Below this, a list of laboratory tests is provided: 'Urinalysis (UA) may reveal the presence of myoglobin. Urine may appear reddish-brown in color. Urinary output may be less than 400 mL/day, or there may be a complete absence of urinary output', 'Serum myoglobin, creatine kinase (CPK), and creatinine may be elevated', 'Electrolyte panel may show ↑ potassium, phosphate, and/or ↓ calcium', and 'ABG tests may reveal metabolic acidosis'. A red box highlights the text 'Coagulation studies may reveal prolonged PT and PTT secondary to DIC. The goal of treatment for crush injury/crush syndrome is to restore end-organ perfusion and prevent renal failure by volume expansion^(2,4,8)'.

주요 제공 콘텐츠 - CE Modules (평생교육 학습도구)

- Quick Lesson 학습 후 테스트와 진행할 수 있는 통한 무료 학습도구
- 자체 인터페이스가 아닌 **CINAHLeducation** 페이지에서 무료 이용 가능 (<https://ceu.cinahl.com/login>)

※ 이용 시 개별 계정 반드시 필요

CINAHLeducation
[EBSCO.com](#) [About Us](#) [Contact Us](#) [Careers](#)

Welcome to **CINAHLeducation**.

The **CINAHLeducation** program provides nursing, social work, and allied health professionals a convenient way to obtain their certificates of completion for continuing education required by the states in which they practice or the facilities in which they work. These interactive modules allow health professionals to satisfy CE requirements online. Each module consists of course material, an interactive review, a competency test, and a module evaluation. A certificate is awarded upon satisfactory completion of the competency tests. Completion requirements are provided in each module.

If you are a **NEW** user and have not registered before, please [click here to pre-register](#).

If you are a **RETURNING** user, log in using the form below:

Email Address: [I forgot my email address.](#)
Password: [I forgot my password.](#)
 [I lost my activation email.](#)

Available Modules | How To Use | FAQs | Course Materials | Interactive Review | Take Test

Burn Care: Changing Dressings
Course Materials

Burn Care: Changing Dressings
Interactive Review

Burn Care: Changing Dressings
Competency Test

이용 가능한
모듈 검색

이용방법

1,400 건
이용
가능한
모듈 제공

선택한 모듈
의 기본이론

Quick
Lesson
과 유사한
이론 제공

선택한 모듈
기본 퀴즈

이론에
바탕된
OX
퀴즈제공

선택한 모듈
정식 테스트

평생교육
학점*
인증 정식
테스트

* 북미권 ONLY



EBSCOhost* 이용 가이드

* EBSCOhost란, CINAHL Plus with Full Text를 이용할 수 있는 인터페이스를 의미합니다.



PART 1
검색 & 탐색

- 기본 및 고급 검색 화면
- 검색 결과 보기
- 각 제한자 (패싯) 확인
- 레코드 상세 보기
- 출판물 명 찾아보기



PART 2
기본 활용 도구

- 원문 뷰어 설명
- 기본 도구 모음 설명
- 인용하기 (Cite)
- 반출하기 (Export)
- HTML 원문 (Full-text)
번역 & 읽어 주기
(Text-to-Speech)



PART 3
개인화 기능

- My EBSCOhost란?
- 개인 계정 생성 방법
- 폴더에 레코드 추가 및
활용 기능
 - 여러 건의 레코드 인용 (Cite)
 - 여러 건의 레코드 반출 (Export)
 - 여러 건의 레코드 한꺼번에 CSV
형식으로 반출 (CSV 반출)



PART 4
주제어 이용 검색

- 키워드 vs 주제어
- CINAHL 주제어
(CINAHL Headings)
를 이용한 검색 & 탐색

검색 & 탐색 (RESEARCH)

- 기본 및 고급 검색 화면
- 검색 결과 보기
- 각 제한자 (패싯) 확인
- 레코드 상세 보기
- 출판물 명 찾아보기



RESEARCH

새 검색

출판물

CINAHL 주제

근거 중심 관리 시트

더 보기 ▾

로그인

폴더

환경설정

언어 ▾

도움말


종료

새 검색 & 탐색 도구

주제어 검색

CINAHL 비저널 콘텐츠 이용 링크 제공

개인화 도구 (My EBSCOhost)



검색: CINAHL Plus with Full Text | 데이터베이스 선택

아무 키워드나 입력합니다.

검색

검색 옵션 ▾

기본 검색

고급 검색

PICO Search

검색 기록

데이터베이스 기본 검색박스

페이지 맨 위

Mobile 버전

iPhone 및 Android 애플리케이션


EBSCO 지원 사이트

개인정보 보호정책

이용 약관

저작권

© 2019 EBSCO Industries, Inc. All rights reserved.




주요 검색 제한자 및 확장자

- 1 검색 모드: 검색할 단어 조합 모드변경
- 2 확장자: 확장 검색을 위한 도구
- 3 전문 (Full Text): Full -text (PDF or HTML) 포함만 검색
- 4 Peer reviewed 학술저널 : 학술저널 기사만 검색
- 5 참고문헌 수록 기사 : 참고문헌 색인기사만 검색
- 6 출판물 유형 : 출판물 Type 지정

불리언 연산자 (Boolean Operators)를 이용한 기본 키워드 검색 방법

AND




Art Therapy and Alzheimer

순서에 관계없이

Art Therapy 과 Alzheimer

모두 포함된 결과

OR




Dementia or Alzheimer

순서에 관계없이

Dementia 나 Alzheimer 중

하나 이상 포함된 결과

NOT




Trauma not Children

Trauma 은 포함되지만,

Children 은 제외된

결과 출력




(H1N1 or H2N2) and Influenza A type

보다 정확하고 구체적인 불리언 연산자 조합을 위해
괄호 ()를 이용하여 여러 키워드 그룹화 가능

= 검색 식을 이용한
검색의 구체화 가능

고급 검색 화면 활용 방법

- 1 키워드 입력 후 “**필드 선택**” 메뉴에서 검색대상 필드를 선택합니다. (각 검색식을 AND/ OR / NOT 조합)
(미 선택 시, 기본검색필드 (기사명/저자명/저널명/주제어/키워드/초록) 에서 검색 실행)
- 2  버튼 클릭 시, 검색어 입력 창 / 필드 선택 창을 추가할 수 있습니다.
- 3 검색 제한자 및 확장자 선택 후, Search 버튼을 클릭하여 검색을 수행합니다.

기타 검색 연산자

Wild Card & Truncation

Wildcard 와일드카드	?	하나의 문자 대체	ne?t 입력 시, next, neat, nest 등 검색 단, net은 검색하지 않음
Wildcard 와일드카드	#	철자법이 다른 단어에 대한 검색 수행	colo#r 입력시, color, colour 검색
Truncation 절단 검색	*	여러 문자 대체	Academ* 입력 시, Academic, Academy 등 검색

★ 유의사항

- 물음표(?)가 마지막에 있는 기사(article) 및 제목 등은 **물음표를 제거 후 검색** 추천: Wild Card로 인식
ex) *Will Turkey Vote to Give Erdogan Even More Power?* → *Will Turkey Vote to Give Erdogan Even More Power*로 검색
- Wildcard와 Truncation 동시 사용 금지: *p#ediatric** 검색 시 P*과 동일함.

결과화면 용어 정리

1 페이지당 50건씩 출력 (조정 가능)

2 검색 결과 재정렬

최근 일자	→ 최신 순 정렬
오래된 일자	→ 오래된 순 정렬
수록 출판물	→ 출판물 알파벳 순 정렬
저자	
관련성	

3 기사 상세 정보 가기

→ 기사 제목 클릭

4 제공 원문 바로가기

→ PDF 형식

HTML 형식 제공

The screenshot shows the EBSCOhost search results page for the query 'dementia'. The page is divided into several sections:

- Search Bar:** Located at the top, it contains the search term 'dementia' and a search button.
- Search Results:** The main area displays a list of search results. The first result is titled '1. A Feasibility RCT Evaluating a Play-Informed, Caregiver-Implemented, Home-Based Intervention to Improve the Play of Children Who Are HIV Positive.' It includes an abstract, background/aim, and subject terms.
- Search Filters:** On the left side, there are filters for '현재 검색' (Current Search) and '다음으로 제한' (Limit to). The '현재 검색' filter shows 'dementia' and '제한자' (Limiters). The '다음으로 제한' filter shows '전문 (Full Text)' (Full Text) and '참고문헌 수록 레코드' (Cited in References) selected.
- Sorting Options:** On the right side, there are sorting options: '최근 일자' (Recent Date), '페이지 옵션' (Page Options), and '공유' (Share).
- Full Text Download:** Below each search result, there are options to download the full text in HTML or PDF format.

검색 결과 - 결과 정보 확인하기

관련도순 기본 출력, 최근/오래된 일자/출판물 순 등으로 재정렬 가능

결과화면 용어 정리

4 해당 기사 미리보기

5 개인 폴더 담기

→ 개인화 기능 (My EBSCOhost

Folder 내 저장 가능) 


6 이미지 바로 보기

7 기사 인용/피인용 정보

✓ 인용된 참고문헌 = 해당 기사가 참고한 참고문헌 리스트 보기 (61회)

✓ 이 데이터베이스에서 인용된 횟수 = 현재 검색되는 데이터베이스에 타 문헌에 인용된 횟수 (1회)

인용된 참고문헌: (61) 이 데이터베이스에서 인용된 횟수: (1)



The screenshot shows the EBSCOhost search results page for the term 'dementia'. The interface includes a search bar at the top with the term 'dementia' entered. Below the search bar, there are filters for '현재 검색' (Current Search) and '다음으로 제한' (Limit to). The '현재 검색' section shows the search term 'dementia' and the number of results '1 - 50 / 2,066'. The '다음으로 제한' section includes checkboxes for '전문 (Full Text)', '참고문헌 수록 레코드', and '초록 제공'. The search results are displayed in a list format, with each result showing the title, author, journal, and a brief description. The first result is '1. A Feasibility RCT Evaluating a Play-Informed, Caregiver-Implemented, Home-Based Intervention to Improve the Play of Children Who Are HIV Positive.' The second result is '2. Helping families and carers to support a person with a stoma and dementia.' The third result is '3. Collaborating with the carers of dementia patients in the acute setting.' The fourth result is '4. Helping families and carers to support a person with a stoma and dementia.' The fifth result is '5. Helping families and carers to support a person with a stoma and dementia.' The sixth result is '6. Helping families and carers to support a person with a stoma and dementia.' The seventh result is '7. Helping families and carers to support a person with a stoma and dementia.' The eighth result is '8. Helping families and carers to support a person with a stoma and dementia.' The ninth result is '9. Helping families and carers to support a person with a stoma and dementia.' The tenth result is '10. Helping families and carers to support a person with a stoma and dementia.'

주요 패킷/제한자 별 정리

다음으로 제한

☐ 전문(Full Text) 1

☐ Peer-Reviewed 학술저널 2

☐ 참고문헌 수록 기사 3

1923 출판년월 2017 4

더 보기

기본 제한자

연령

☐ all adult (820,757)

☐ adult: 19-44 years (514,705)

☐ all child (464,428)

☐ middle aged: 45-64 years (440,085)

☐ aged: 65+ years (378,171)

☐ adolescent: 13-18 years (238,362)

더 보기

성별

☐ female (899,256)

☐ male (748,280)

지역

☐ usa (2,389,030)

☐ europe (970,656)

연령 & 성별 제한

출판물

☐ nursing standard (52,695)

☐ nursing times (45,876)

☐ modern healthcare (28,906)

☐ lancet (25,424)

☐ new england journal of medicine (21,805)

☐ journal of the american college of cardiology (jacc) (20,701)

더 보기 Click!

출판물 별 제한

상위 50건 리스트 보기

출판물	건수
<input checked="" type="checkbox"/> nursing standard	52,695
<input type="checkbox"/> nursing times	45,876
<input type="checkbox"/> modern healthcare	28,906
<input checked="" type="checkbox"/> lancet	25,424
<input type="checkbox"/> new england journal of medicine	21,805
<input type="checkbox"/> journal of the american college of cardiology (jacc)	20,701
<input checked="" type="checkbox"/> jama: journal of the american medical association	20,627
<input type="checkbox"/> journal of clinical oncology	19,135
<input type="checkbox"/> nursing	17,124
<input type="checkbox"/> chest	16,306

업데이트 취소

자료 유형

☒ 모든 검색 결과

☐ 학술저널 (2,530,476)

☐ 매거진 (811,029)

☐ CEU (64,956)

☐ 논문 (22,538)

☐ 연구 기기 (106)

더 보기

자료유형 별 제한자

- 원문 제공 결과로만 제한하기
- peer-reviewed 된 결과로만 제한
- 인용/피인용문헌 정보 제공 결과로만 제한
- 연도제한 (슬라이드 바 이용)
- 간호학/보건학에서 중요한 연령대 별, 성 별, 지역 별 제한 가능

상세 레코드

HTML 전문(Full Text)

PDF 전문

인용된 참고문헌 (8)

비슷한 검색 결과 찾기
SmartText 검색 사용

결과 목록 검색 수정 2 전체 2,066

Helping families and carers to support a person with a stoma and dementia.

저자:

Swan, Elaine

소속기관:

Colorectal Nurse Consultant, Walsall Healthcare NHS Trust

수록 출판물:

British Journal of Nursing (BR J NURS), Dec2018; 27(22): S16-S17. (2p)

출판물 유형:

Article

언어:

English

주요 주제명:

Ostomy Care
 Dementia Patients -- Psychosocial Factors
 Support, Psychosocial
 Caregiver Support
 Family -- Education

부차 주제명:

Intestines -- Surgery; Health Care Costs; Durable Power of Attorney; Patient Centered Care; National Health Programs -- England; Quality Improvement

초록:

The articles discusses nurses of Great Britain's National Health Service's (NHS's) assistance to caregivers and families supporting dementia patients who had stoma surgery, including in regard to the use of distraction for people unwilling to engage in stoma care. An overview of hospitals' identification of dementia patients is provided.

저널 하위집합:

Core Nursing; Double Blind Peer Reviewed; Editorial Board Reviewed; Europe; Expert Peer Reviewed; Nursing; Peer Reviewed; UK & Ireland

ISSN:

0966-0461

MEDLINE 정보:

NLM UID: 9212059

기입 일자:

20181213

수정 일자:

20181213

DOI:

<http://dx.doi.org/10.12968/bjon.2018.27.22.S16>

등록 번호:

133479316

3

도구

Google Drive

폴더에 추가

인쇄

이메일

저장

인용

반출(서지관리 도구)

메모 만들기

영구 링크

공유

Listen

번역

상세 정보 주요 내용

- 1 제공 원문 보기 (PDF 또는 HTML 포맷으로 제공)
- 2 기사의 상세 서지 정보 제공 (저자사항, 해당 출판물 바로가기, 주제어/키워드, 전체 초록 등)
- 3 기본 활용 도구 모음 (Tool 페이지 참고)

출판물 명으로 찾아보기 (브라우저)

전체 수록 출판물에 대한 알파벳순 탐색 및 저널명/주제 검색 가능.

1

출판물

Click!

검색 Full Text | 데이터베이스 선택

검색

기본 검색 고급 검색 검색 기록

출판물

찾아보기: CINAHL Plus with Full Text -- Publications

British Journal of Nursing

찾아보기

2

출판물 명 입력 후 찾아보기

알파벳순 주제 및 설명별 부분 일치

페이지: 이전 다음 ◀ ▶ ABCDEFGHIJKLMNOPQRSTUVWXYZ ▶

검색할 항목 선택 추가

☐ British Journal Of Nursing
서지 레코드: 04/23/1992 To Present
전문(Full Text): 04/23/1992 To Present
PDF 전문: HTML 전문(Full Text)

☐ British Journal Of Nursing (Great Britain)
서지 레코드: Selective Coverage From 1951 To 1956

원문(Full-text) 제공 여부
제공 원문 포맷 정보
서지 또는 원문 제공 커버리지 정보 제공

주요 기능

1 출판물 명으로 검색하기 위해 "출판물" 클릭

2 알파벳 순: 알파벳 순 검색

주제 및 설명 별: 수록된 특정 주제분야 모두 살펴보고자 할 경우 ex) Asthma 입력 시, 주제가 Asthma 인 모든 출판물 검색

부분 일치: 출판물 명이 검색하고자 하는 키워드를 포함하는 경우 선택

출판물 명으로 찾아보기 (브라우저)

전체 수록 출판물에 대한 알파벳순 탐색 및 저널명/주제 검색 가능

찾아보기: CINAHL Plus with Full Text -- Publications

British Journal of Nursing

알파벳순 주제 및 설명별 부분 일치

페이지: 이전 다음 ABCDEFGHIJKLMNOPQRSTUVWXYZ

검색할 항목 선택 추가

British Journal Of Nursing

Click!

PDF 전문: HTML 전문(Full Text)

이 출판물 내에서 검색

출판물 상세설명 "British Journal of Nursing"

제목: British Journal of Nursing

ISSN: 0966-0461

출판사 정보: Mark Allen Holdings Limited
St. Jude's Church
Dulwich Road-Herne Hill
London SE24 9BY
United Kingdom of Great Britain & Northern Ireland

서지 레코드: 04/23/1992 to present

전문(Full Text): 04/23/1992 to present

출판물 유형: Academic Journal

주제명: Nursing

설명: Presents the latest developments in clinical and practice-based nursing.

출판사 URL: <http://www.markallengroup.com/ma-healthcare/>

발행주기: 22

전문가 학술적 심사(Peer Review): Yes

저널 상세정보
색인-원문 Coverage, 주제분야, 발행사항 등

전체 호 보기

-- 2018

권 27 호 22 - Dec2018

권 27 호 21 - Dec2018

권 27 호 20 - 11/8/2018

권 27 호 19 - 10/18/2018

권 27 호 18 - 10/4/2018

권 27 호 17 - 9/20/2018

권 27 호 16 - 9/6/2018

권 27 - 8/10/2018 Supplement15

권 27 호 15 - 8/9/2018

권 27 호 14 - 7/26/2018

권 27 호 13 - 7/12/2018

권 27 - 2018 Suppl 12

권 27 호 12 - 7/1/2018

권 27 호 11 - 6/14/2018

권 27 호 10 - 5/24/2018

주요 기능

- 1 상세 발행 사항 정보
- 2 모든 원문(전문) 제공 콘텐츠 검색결과로 보기
- 3 서지/원문 제공 TOC (Table of Content) 차례 보기
- 4 해당 이슈/볼륨만 검색 결과로 보기

검색/검색결과/상세정보보기에 대한 활용 예시

Q. “2018년도 아동에 대한 미술치료에 대한 연구의 효과 및 기여 (The effectiveness and contribution of art therapy work with children in 2018)” 와 관련된 한 논문에서 주장에 따르면, 아동에 대한 미술치료의 잠재적인 효과는 다음 5가지 사항 중 어떤 것 들에서 확인되었을까요? (보기선택)

Trauma, Special education and disabilities, Non-specific difficulties, Medical conditions, Juvenile offender

[보기]

- 1) 모든 5가지 사항에서 잠재적인 효과가 나타났다.
- 2) 5가지에서 아무 잠재적인 효과가 나타나지 않았다.
- 3) Juvenile offenders에 대해서만 미술치료가 잠재적인 효과가 있었다.
- 4) 아동에 대한 미술치료 관련 연구들을 더 살펴봐야 한다.

A. 보기 1) * 힌트: The effectiveness and contribution of art therapy work with children in 2018 검색 후 상세정보 클릭 & 초록의 내용 확인

초록:

This systematic literature review is a companion to our review of the **effectiveness** of **art therapy** with adult clients (Regev & Cohen-Yatziv, 2018) and aims to contribute towards the ongoing discussion in the field of **art therapy** on the **effectiveness** of **art therapy** in a wide range of **child**-aged clients. For this purpose, four major electronic databases were searched for quantitative articles relating to outcome measures in the field of **art therapy** with **children** from 2000 to 2017. A total of 13 articles responding to the inclusion criteria were identified and divided into three levels of evidence (Case-Smith, 2013). The results are organised into five clinical categories: trauma, special education and disabilities, non-specific difficulties, medical conditions and juvenile offenders. The potential benefits of **art therapy** in these five clinical populations is discussed and suggest that **art therapy** can be effective with **children** of the described categories. The limitations of this review and the current state of affairs are presented, alongside recommendations for future research to promote **art therapy effectiveness** research. Plain-language summary This article brings together all the research studies conducted so far on how helpful **art therapy** is for **children**. We use electronic databases to

기본 활용 도구 (TOOLS)

- 원문 뷰어 설명
- 기본 도구 모음 설명
- 인용하기 (Cite)
- 반출하기 (Export)
- HTML 원문(Full-text) 번역 & 읽어주기 (Text-to-Speech)



TOOLS

The screenshot displays the EBSCOhost PDF viewer interface. At the top, a blue navigation bar contains links for « 결과 목록, 검색 수정, PDF 다운로드, 로그인, 폴더, and 도움말. The main content area shows the title 'Drinking vessel preferences in older nursing home residents: optimal design and potential for increasing fluid intake' by Aggie Bak, Jennie Wilson, Amalia Tsiami and Heather Loveday. The document is from the British Journal of Nursing, dated December 15, 2018. On the left sidebar, there is a '상세 레코드' (Detailed Record) section with a table of contents. The table lists several articles, with 'Drinking vessel pref...' highlighted. Below this, there is a '다른 호 선택' (Select other issue) section with a link to 'HTML 전문(Full Text)'. On the right side of the document, there are three numbered callouts: 1. 결과 목록/ 검색 수정 네비게이션 (Result list/ Search modification navigation), 2. 해당 출판물의 타 기사로 이동 (기사 이동 네비게이션) (Move to other articles of this publication (article movement navigation)), and 3. PDF 다운로드 or 인쇄(프린트) → 실제 PC에 저장 하기 (PDF download or print (print) → Save to actual PC). At the bottom right, there are two more callouts: '폭 맞추기' (Adjust width) and '뷰어 확대 및 축소' (Viewer zoom in and out).









PDF 뷰어

- 1 결과 목록/ 검색
수정 네비게이션
- 2 해당 출판물의
타 기사로 이동
(기사 이동 네비
게이션)
- 3 PDF 다운로드 or
인쇄(프린트)
→ 실제 PC에
저장 하기

폭 맞추기

뷰어 확대
및 축소

기본 도구 모음 - 주요 도구 설명

	폴더 넣기	개인화 기능 → 개인 폴더에 해당 기사 추가 (페이지 상단 로그인  를 통해 이용
	인쇄하기	해당 기사의 서지사항 인쇄 (원문/전문 인쇄 시 PDF/HTML 다운로드 후 인쇄)
	Email 보내기	해당 기사의 서지사항 이메일 보내기 (원문 제공 시 원문 포함 보내기 가능)
	저장하기	해당 기사의 서지사항 파일로 저장
	인용하기	해당 기사를 인용하고자 할 때 이용 (MLA, APA, Harvard, AMA 등 형식 자동 제공)
	반출하기	서지 관리도구 (EndNote, RefWorks, Mendeley 등)으로 직접 반출 (RIS 형식 등)
	노트/메모작성	EBSCOhost 인터페이스 자체에 개별 노트/메모 작성 가능

개인화 기능

Important

Important

Important 자주 이용되는 기능으로 상세한 내용은 다음 페이지 참고

인용하기

공통적으로 쓰이는 서지정보 형식 (Reference Style)들을 자동으로 제공하여 간단하게 복사/붙여넣기 가능.

Important

제공 서지정보 형식 (Reference Styles)

- ABNT (Brazilian National Standards)
- AMA (American Medical Assoc.)
- **APA (American Psychological Assoc.) = 미국 심리학회 제공.**

인용 형식 (주로 사회과학 분야에서 많이 사용)

- Chicago/Turabian: Author-Date
- Chicago/Turabian: Humanities

- Harvard: Australian

- **Harvard**

- **MLA (Modern Language Assoc.) = 미국 현대 어문학 협회에서 만든 인용 형식**

- **Vancouver/ICMJE = 국제의학학술지편집인위원회(ICMJE)에서 제공. 임상의학, 생의학 분야**

반출하기

기사의 서지사항을 다양한 서지 관리 도구(소프트웨어)로 반출하여 저장 가능

Important

주의사항: 서지관리 소프트웨어는 도서관에 구독 여부에 따라 상이

The screenshot displays the EBSCOhost '반출 도구' (Export Tools) page. On the left, there's a sidebar with '상세 레코드' (Detailed Record) for a PDF document titled 'British Journal of Nursing' dated December 15, 2018. The main area shows '저장 항목 수: 1' (Number of items to save: 1) and lists export formats: RIS (selected), XML, BibTeX, MARC21, RefWorks, EndNote, EasyBib, and CSV. Buttons for '저장' (Save) and '취소' (Cancel) are visible. A callout box on the right shows a document icon with a green arrow pointing to it, labeled '반출하기' (Export).

주요 제공 서지반출 형식 및 소프트웨어

Direct Export in **RIS Format** (e.g. CITAVI, EasyBib, EndNote, ProCite, Reference Manager, Zotero)

***RIS Format** 은 기본 서지사항 반출 형식



EndNote™



번역하기

HTML Only

1. Advanced practice is key.



학술 저널

(includes abstract) Osborne, Wendy; **British Journal of Nursing**, Dec2018; 27(22): S3-S3. 1p. (Editorial) ISSN: 0966-0461

An editorial is provided in which the author discusses specialist stoma care nurses (SCNs), including their expertise, their status as an advanced practitioner degree...

주제: Ostomy Care; Advanced Nursing Practice

인용된 참고문헌: (2)

HTML 전문(Full Text) PDF 전문

1

- 1 HTML 원문(Full-text) 확인 및 접근
- 2 기사 언어 확인 후 번역하고 싶은 언어 선택
- 3 번역된 본문 확인
→ 번역된 본문은 기계어 번역으로 참고용으로만 사용

언어 선택

번역

2

타이틀: Advanced practice is key. 저자: Osborne, Wendy, British Journal of Nursing, 09660461, Dec2018, 권 27, 호 22

데이터베이스: CINAHL Complete

Inglese/Italiano

英語/日本語

영어/한국어

Engelsk/Norsk

انگلیسی/فارسی

angielski/polski

Inglés/Português

English/Pashto

Engleză/română

Английский/Русский

Inglés/Español

English/Serbian

Angleški/Slovenski

Angličtina/Slovenčina

Engelska/svenska

다양한 언어로
번역 제공

Google Drive

폴더에 추가

영어/한국어

번역

영어로 돌아가기

메모: 이 내용은 원본 기사의 내용을 요약한 것이며, 자동 번역 프로그램으로 번역되었습니다. 이 프로그램의 번역 내용은 정확하지 않을 수 있습니다. 번역 내용을 인쇄, 이메일로 전송 또는 저장하려면, 브라우저의 기능을 사용하십시오.
Translations powered by Language Weaver Service

타이틀: Advanced practice is key. 저자: Osborne, Wendy, British Journal of Nursing, 09660461, Dec2018, 권 27, 호 22

데이터베이스: CINAHL Complete

고급 방법은 키

내용 최근 우리 Stoma Care 간호사 협회(ASCN)이 올해 영국 버밍엄에 열린 전국 컨퍼런스2000의 특별한 프레젠테이션 및 포스터. 그것은 오직 전문성 및 혁신적인 stoma 부 아닌 간호사, 품질 및 환자 치료 성과를 개선하기 위해 열정.

참조 영국의 간호사 트러스트를 압박에 그들의 가치를 입증하는, 우리의 가치를 입증하는 위한 시작 지점을 식별하는 방법 우리는 합니다. 그러나, 이 자체가 바로 'specialist' 역할에 대한 이해를 'Shared' 때문에 문제가 없습니다.

그래서, 먼저, 우리가 전문가(stoma care nurse 혹은 SCN) 정의하고 확인하는 '참판' 자격을 specialist? SCNs 수준의 지식을 필요로 합니다. 이 정점이 되는 주제에, '그 동안 specialist 조항 심의' 많이 있다. '고급 개입의. Stoma 형성 중 누가 마쳤으며 환자를 전문적으로 간호사, 환자 그들의 심층적인 지식을 가지고 기대하는: 경로, 평가 환자의 건강과 삶의 질에 긍정적인 결과를 가진 뿐만 아니라 작업, 환자의 요구에 대응 예측할 수 없습니다.

SCNs 우리의 전문 및 임상 연습 도중 판단을 우리는 전문성, 경험 등 다양한 실무 고급 수준에서 작동하는 것으로 볼 수 있습니다. 고급 실천자 [1] 정의를 고려할 경우 SCNs '지식 및 경험이 풍부한 교육받은 관리 팀 멤버는 귀하의 건강 관리 요구 사항부터 진단하고 필요한 경우 적절한 전문가에게 참조할 수 있는 상태로 정당화될 수 있을까?

읽어주기 (Text-to-Speech)

HTML Only

1. Advanced practice is key.



학술 저널

(includes abstract) Osborne, Wendy; **British Journal of Nursing**, Dec2018; 27(22): S3-S3. 1p. (Editorial) ISSN: 0966-0461

An editorial is provided in which the author discusses specialist stoma care nurses (SCNs), including their expertise, their status as an advanced practitioner degree...

주제: Ostomy Care; Advanced Nursing Practice

인용된 참고문헌: (2)

HTML 전문(Full Text) PDF 전문

1

언어 선택 번역

타이틀: Advanced practice is key. 저자: Osborne, Wendy, British Journal of Nursing, 09660461, Dec2018, 권 27, 호 22


데이터베이스: CINAHL Complete

Advanced practice is key

2

내용

REFERENCES



The standard of presentations and posters at our recent Association of Stoma Care Nurses (ASCN UK) national conference held in Birmingham this year was exceptional. It demonstrated not only stoma nurses' wealth of expertise and innovative practice, but their passion to improve the quality and outcomes of patient care.

Nurses in the UK are under increasing pressure from their trusts to demonstrate their value, and the starting point for proving our value must be how we identify ourselves. However, this in itself is problematic because there is not a 'shared understanding' of a 'specialist' role.

So, first, we need to determine what defines a specialist stoma care nurse (SCN) and what level of knowledge SCNs need to qualify for the title 'specialist'. This is a contentious topic, and over the years there has been much deliberation over the terms 'specialist' and 'advanced practitioner'. As nurses specialising in the care of patients who have undergone stoma formation, we would be expected to have an in-depth knowledge of our patient group: we evaluate patient pathways, predict actions that will have positive outcomes on health and quality of life, as well as respond to patients' needs.



폴더에 추가

인쇄

이메일

저장

인용

반출(서지관 리도구)

메모 만들기

영구 링크

공유

- 1 HTML 원문(Full-text) 확인 및 접근
- 2 기사 본문 내 읽어주기 기능 확인
→ 하단 상세 기능 확인



나라 별
액센트 설정

American Accent
Australian Accent
British Accent

환경 설정

빠르기 / 하이라이트
색상 등 변경

MP3 파일로
다운로드

개인화 도구 (My EBSCOhost)

- My EBSCOhost란?
- 개인 계정 생성 방법
- **폴더에 레코드 추가 및 활용 기능**
 - 여러 건의 레코드 한꺼번에 인용 (Cite)
 - 여러 건의 레코드 동시에 반출 (Export)
 - 여러 건의 레코드 한꺼번에 CSV 형식으로 반출



My EBSCOhost

My EBSCOhost?

MY



- My EBSCOhost는 개인단위 폴더를 생성하여 저장, 관리할 수 있는 기능으로서 무료 개인화 서비스
- 누구나 간단하게 My EBSCOhost 계정 생성 가능

- 1 단계: EBSCOhost 개인 계정 생성을 위한 **로그인 (Sign In)** 클릭!
- 2 단계: 개인 계정 정보 입력을 위한 **새 계정 만들기 (Create a new Account)** 클릭!

3 단계: 개인 정보 입력 (이름, 성, 이메일, ID/PW, 비밀번호, 비밀번호 분실 질문/답)

이름 *

민수

성 *

김

이메일 *

mkim@ebSCO.com

이메일 주소 확인 *

mkim@ebSCO.com

사용자 아이디 *

mkim20181115

비밀번호 생성 *

.....

보이기

- 숫자 1개 이상 포함
- 특수 문자 1자 이상 포함
- 최소 6 글자 이상
- 비밀번호는 사용자 아이디 또는 이메일을 포함할 수 없음

비밀번호 확인 *

.....

본인확인 질문 *

신용 카드의 마지막 4자리 숫자는?

본인확인 답변 *

1234


☒ 예. 개인 정보 데이터의 수집에 동의하며, 소속 기관과 EBSCO 간의 계약에 따라 나의 개인 정보가 처리된다는 것에 인지합니다. *

[개인 데이터 보존 및 사용](#)

계속



폴더



폴더 활용하기 - 레코드 추가하기

개인계정을 이용하여 폴더를 구성하면 영구적으로 레코드 저장 가능

1. 폴더

2. 폴더

폴더에 접속하기

1. 1. Effectiveness of **Diabetes Self -- Management Education in Thais with Type 2 Diabetes.**

(includes abstract) Pongtipp Tachanivadee, Runya Phraewphiphat, Hataiporn Tanasankitkul, Rungdeedee Jinnawaso, Chavara Areevut, Rangsim Rattanasila, Crawing Pichitthaipitak, Khaemane Jantawee, Nampeth Saibuthong, Sawitree Chanchat, Araya Ha-upala, Prapai Ariyaprayoon, Patcharavee Tanlakit, Piyanch Maltreejorn, Chanyaphat Pompanakorn, Jariya Boonpattaraksa, Kanokporn Pabua, Chaluck Pattanapateep, Sirimon Reutrakul, Ratanaporn Jerawatana, Pacific Rim International Journal of Nursing Research, Jan-Mar2019, 23(1): 74-86. 13p. (Article) ISSN: 1906-8107

Diabetes is a major health problem and economic burden around the world including Thailand. Patient self-management is an important key to help patients control their disease and prevent complica...

주제: **Diabetes Mellitus**, Type 2 Education, Self-Management Economics, **Diabetes** Education, Outcomes (Health Care), Middle Aged, 45-64 years, Aged, 65+ years, Male, Female

모두 표시 6 이미지

인용된 참고문헌 (25)

PDF 전문

2. Effectiveness of the Strengthening **Diabetes** Care Program: A Randomized Controlled Trial with Thai Nurse Practitioners.

(includes abstract) Sarinyaporn Phuangsoemmak, Wornpen Keawpan, Panan Pichayapinyo, Uthwan Hangwong, Pacific Rim International Journal of Nursing Research, Jan-Mar2019, 23(1): 18-31. 14p. (Article) ISSN: 1906-8107

This randomized control trial examined the effects of a strengthening **diabetes** care program among Thai nurse practitioners working in a diabetic clinic at primary care units in a province in north...

주제: **Diabetes Mellitus** Nursing, Quality of Nursing Care Evaluation, Nurses Education, Program Development, Adult, 19-44 years, Middle Aged, 45-64 years, Male, Female

모두 표시 7 이미지

인용된 참고문헌 (39)

PDF 전문

3. **Toxoplasma gondii** Infection in **Diabetes Mellitus** Patients in China: Seroprevalence, Risk Factors, and Case-Control Studies.

(includes abstract) Li, Yong-Xin, Xin, Hai, Zhang, Xiang-Yan, Wei, Cui-Ying, Duan, Yu-He, Wang, Hao-Fu, Niu, Hai-Tao, BioMed Research International, 12/18/2018, 1-9. 9p. (Article) ISSN: 2314-6133

The association between **Toxoplasma gondii** (T. gondii) infection and **diabetes mellitus** remains controversial. With the improvement of living standards, the prevalence rate of **diabetes** is steadily ...

주제: Toxoplasmosis Transmission, Toxoplasmosis Risk Factors, **Diabetes Mellitus** Microbiology, **Diabetes Mellitus** Diagnosis, Toxoplasmosis Diagnosis, Serologic Tests

HTML 전문(Full Text) PDF 전문

4. Type 2 **diabetes** in the non-pregnant patient: Update on management options.

(includes abstract) SANTORO, NANETTE; CHRISTOPHER, DIANE; Contemporary OB/GYN, Dec2018; 63(12): 29-48. 6p. (Article) ISSN: 0090-3159

The article provides an update on management options for type 2 **diabetes** in a non-pregnant patient. It is said that obgyns play a pivotal role in **diabetes** management due to its potential impact ...

주제: **Diabetes Mellitus**, Type 2 Therapy, Reproductive Health, Women's Health United States, Child, 6-12 years

PDF 전문

1. 클릭 시 폴더 내 레코드 추가하기

2. 클릭 시 폴더 내 저장한 레코드 확인하기

내 폴더: 기사

1-5 전체 5
페이지: 1

추가 필터 페이지 옵션

모두 선택/선택 취소 목록 삭제

1. Effectiveness of **Diabetes Self -- Management Education in Thais with Type 2 Diabetes.**

(includes abstract) Pongtipp Tachanivadee, Runya Phraewphiphat, Hataiporn Tanasankitkul, Rungdeedee Jinnawaso, Chavara Areevut, Rangsim Rattanasila, Crawing Pichitthaipitak, Khaemane Jantawee, Nampeth Saibuthong, Sawitree Chanchat, Araya Ha-upala, Prapai Ariyaprayoon, Patcharavee Tanlakit, Piyanch Maltreejorn, Chanyaphat Pompanakorn, Jariya Boonpattaraksa, Kanokporn Pabua, Chaluck Pattanapateep, Sirimon Reutrakul, Ratanaporn Jerawatana, Pacific Rim International Journal of Nursing Research, Jan-Mar2019, 23(1): 74-86. 13p. (Article) ISSN: 1906-8107. (데이타베이스: CINAHL Complete)

Diabetes is a major health problem and economic burden around the world including Thailand. Patient self-management is an important key to help patients control their disease and prevent complica...

주제: **Diabetes Mellitus**, Type 2 Education, Self-Management Economics, **Diabetes** Education, Outcomes (Health Care), Middle Aged, 45-64 years, Aged, 65+ years, Male, Female

모두 표시 6 이미지

PDF 전문

2. Effectiveness of the Strengthening **Diabetes** Care Program: A Randomized Controlled Trial with Thai Nurse Practitioners.

(includes abstract) Sarinyaporn Phuangsoemmak, Wornpen Keawpan, Panan Pichayapinyo, Uthwan Hangwong, Pacific Rim International Journal of Nursing Research, Jan-Mar2019, 23(1): 18-31. 14p. (Article) ISSN: 1906-8107. (데이타베이스: CINAHL Complete)

This randomized control trial examined the effects of a strengthening **diabetes** care program among Thai nurse practitioners working in a diabetic clinic at primary care units in a province in north...

주제: **Diabetes Mellitus** Nursing, Quality of Nursing Care Evaluation, Nurses Education, Program Development, Adult, 19-44 years, Middle Aged, 45-64 years, Male, Female

모두 표시 7 이미지

PDF 전문

3. **Toxoplasma gondii** Infection in **Diabetes Mellitus** Patients in China: Seroprevalence, Risk Factors, and Case-Control Studies.

(includes abstract) Li, Yong-Xin, Xin, Hai, Zhang, Xiang-Yan, Wei, Cui-Ying, Duan, Yu-He, Wang, Hao-Fu, Niu, Hai-Tao, BioMed Research International, 12/18/2018, 1-9. 9p. (Article) ISSN: 2314-6133. (데이타베이스: CINAHL Complete)

The association between **Toxoplasma gondii** (T. gondii) infection and **diabetes mellitus** remains controversial. With the improvement of living standards, the prevalence rate of **diabetes** is steadily ...

주제: Toxoplasmosis Transmission, Toxoplasmosis Risk Factors, **Diabetes Mellitus** Microbiology, **Diabetes Mellitus** Diagnosis, Toxoplasmosis Diagnosis,

폴더 활용하기 - 레코드 추가하기

개인계정을 이용하여 폴더를 구성하면 영구적으로 레코드 저장 가능

My EBSCOhost 개인 폴더 주요 기능

- 1 폴더 내 저장한 기사
리스트 확인
- 2 저장 항목 카테고리 별
확인 메뉴
- 3 새로운 사용자 정의 폴더
생성 (주제, 관심사 등 임
의로 개별 폴더 생성 가능)
- 4 폴더 내 기사를 이용한
기본 도구 활용 가능

인쇄

이메일

파일로 저장

Important

반출(서지관
리도구)

Important

EBSCOHealth

The screenshot displays the My EBSCOhost interface. On the left, a sidebar shows folder management options like '내 폴더' (My Folders) and '새로 만들기' (Create New). The main area shows a folder named 'Diabetes' containing two articles. The first article is 'Effectiveness of Diabetes Self -- Management Education in Thais with Type 2 Diabetes.' and the second is 'Effectiveness of the Strengthening Diabetes Care Program: A Randomized Controlled Trial with Thai Nurse Practitioners.' The right sidebar contains utility icons for printing, emailing, saving as a file, and exporting to a citation manager.

두 건 이상의 레코드 참고문헌 자동 생성하기

Important

기사

1-1 전체 1

페이지: 1

모두 선택/선택 취소

항목 삭제

1. Causes of maternal and child mortality among Cambodian sex workers and their children: a cross sectional study.

By: Willis, Brian, Onda, Saki, Stoklosa, Hanni Marie. BMC Public Health. 11/21/2016, Vol. 16 Issue 1, p1-8. 8p. 3 Charts. DOI: 10.1186/s12889-016-3838-7. 데이터베이스: Academic Search Premier

national goals for maternal and child mortality, countries must identify vulnerable workers and their children. The objective of th...

HILD mortality; PROSTITUTES; CAUSES of death; CROSS-sectional method;

인쇄

이메일

파일로 저장

반출(서지관 리도구)

저장 항목 수: 10

저장 항목에서 이 항목 삭제

저장

전문(Full Text)의 저장에 대한 사

지정보 형식 사용에 대한 자세한 보 도움말

ABNT(Brazilian National Standards)

AMA(American Medical Assoc.)

APA(American Psychological Assoc.)

Chicago/Turabian: Author-Date

Chicago/Turabian: Humanities

Harvard

Harvard: Australian

MLA(Modern Language Assoc.)

Vancouver

서지정보형식 선택/지정

저장 시 포함:

☒ HTML 전문(Full Text) (제공되는 경우)

☐ 기사 HTML 링크

☐ 표준 필드 형식

상세 서지정보 및 초록

☒ 서지정보 형식

APA(American Psychological Assoc.)

☐ 사용자 정의 필드 형식

참고문헌으로 저장하고 싶은 기사 선택 확인

4

EBSCO Publishing 서지정보 형식: APA(American Psychological Assoc.):

메모: 다음에서 지침을 리뷰하고 http://support.ebsco.com/help/?int=ehost&lang=&feature_id=APA 그리고 사용 전에 필요에 따라 수정하십시오. 기명 이름, 대소문자 구분 및 날짜에 특히 주의하십시오. 정확한 서식 및 문장 부호 지침은 항상 라이브러리 자료를 참조하십시오.

참고 문헌

Willis, B., Onda, S., & Stoklosa, H. M. (2016). Causes of maternal and child mortality among Cambodian sex workers and their children: a cross sectional study. *BMC Public Health*, 161-8. doi:10.1186/s12889-016-3838-7

Dias, E. (2016). The Terrible, Horrible, No Good, Very Bad Child-Care Problem. *Time*, 188(16/17), 38-43.

Venturini, E., Montagnani, C., Benni, A., Becciani, S., Biermann, K. P., De Masi, S., & ... Galli, L. (2016). Central-line associated bloodstream infections in a tertiary care children's University hospital: a prospective study. *BMC Infectious Diseases*, 161-7. doi:10.1186/s12879-016-2061-6

Wei, L., Rong, L., Weijia, L., Zhongshan, G., Lihua, X., Bai, L., & ... Pallan, M. (2016). Relationship between weight status and health-related quality of life in Chinese primary school children in Guangzhou: a cross-sectional study. *Health & Quality Of Life Outcomes*, 141-8. doi:10.1186/s12955-016-0567-7

Abbey, M., Bartholomew, L. K., Chinbuah, M. A., Gyapong, M., Gyapong, J. O., & van den Borne, B. (2017). Development of a theory and evidence-based program to promote community treatment of fevers in children under five in a rural district in Southern Ghana: An intervention mapping approach. *BMC Public Health*, 171-11. doi:10.1186/s12889-016-3957-1

Cagetti, M. G., Congiu, G., Cocco, F., Meloni, G., Sale, S., & Campus, G. (2016). Are distinctive risk indicators associated with different stages of caries in children? A cross-sectional study. *BMC Public Health*, 161-10. doi:10.1186/s12889-016-3865-4

Yamada, J., Squires, J. E., Estabrooks, C. A., Victor, C., & Stevens, B. (2017). The role of organizational context in moderating the effect of research use on pain outcomes in hospitalized children: a cross sectional study. *BMC Health Services Research*, 171-11. doi:10.1186/s12913-017-2029-2

Mölbret, S. C., Sauer, H., Dammann, D., Zipfel, S., Teufel, M., Junne, F., & ... Mack, I. (2016). Multimodal Body Representation of Obese Children and Adolescents before and after Weight-Loss Treatment in Comparison to Normal-Weight Children. *Plos ONE*, 11(11), 1-14. doi:10.1371/journal.pone.0166826

1 생성을 원하는 기사 선별 (또는 전체) 선택 후 파일로 저장

2 원하는 서지정보 형식을 지정/확인

3 서지 정보 형식 확인 후 저장

4 선택한 형식으로 "참고문헌 형식" 자동 생성

두 건 이상의 레코드 참고관리도구로 반출하기

Important

기사

1-1 전체 1

페이지: 1

모두 선택/선택 취소 | 항목 삭제

1. Causes of maternal and child mortality among Cambodian sex workers and their children: a cross sectional study.

By: Willis, Brian; Onda, Saki; Stokosa, Hanni Marie. BMC Public Health. 11/21/2016, Vol. 16 Issue 1, p1-8. 8p. 3 Charts. DOI: 10.1186/s12889-016-3838-7. 데이터베이스: Academic Search Premier

Background: To reach global and national goals for maternal and child mortality, countries must identify vulnerable populations, which includes sex workers and their children. The objective of th...

LD mortality; PROSTITUTES; CAUSES of death; CROSS-sectional method;

인쇄
이메일
파일로 저장
반출(서지관리도구)

서지 관리도구로 저장하고 싶은 기사 선택 확인

저장 이메일

저장 항목 수: 7

☐ 저장 후 폴더에서 이 항목 삭제

저장

2

서지정보를 다음 형식의 파일로 저장:

- RIS 형식으로 직접 내보내기(예: CITAVI, EasyBib, EndNote, ProCite, Reference Manager, Zotero)
- EndNote 온라인으로 직접 내보내기
- 일반 서지 관리 소프트웨어
- XML 형식의 서지정보
- BibTeX 형식의 서지정보
- MARC21 형식의 서지정보
- RefWorks로 직접 내보내기
- EasyBib으로 직접 내보내기
- CSV 다운로드

3

서지관리도구 선택/지정

4 주요 제공 서지반출 형식 및 소프트웨어

Direct Export in **RIS Format** (e.g. CITAVI, EasyBib, EndNote, ProCite, Reference Manager, Zotero)



EndNote™



1 저장하고 싶은 기사 선별 (또는 전체) 선택 후 반출(서지관리도구)

2 원하는 서지관리도구 또는 형식 지정/확인

3 저장 하기

4 선택한 서지관리도구 또는 형식으로 저장 완료

두 건 이상의 레코드 csv 파일로 다운로드

기사

1-1 전체 1

페이지: 1

☒ 모두 선택/선택 취소

1. Causes of maternal and child mortality among Cambodian sex workers and their children: a cross sectional study.

By: Willis, Brian, Onda, Saki, Stoklosa, Hanni Marie. BMC Public Health. 11/21/2016, Vol. 16 Issue 1, p1-8. 8p. 3

national goals for maternal and child mortality, countries must identify vulnerable workers and their children. The objective of th...

ILD mortality; PROSTITUTES; CAUSES of death; CROSS-sectional method;

인쇄

이메일

파일로 저장

반출(서지관 리도구)

저장 이메일

저장 항목 수: 3

☐ 저장 후 폴더에서 이 항목 삭제

서지정보를 다음 형식의 파일로 저장:

- ☐ RIS 형식으로 직접 내보내기(예: CITAVI, EasyBib, EndNote, ProCite, Reference Manager, Zotero)
- ☐ EndNote 온라인으로 직접 내보내기
- ☐ 일반 서지 관리 소프트웨어
- ☐ XML 형식의 서지정보
- ☐ BibTeX 형식의 서지정보
- ☐ MARC21 형식의 서지정보
- ☐ RefWorks로 직접 내보내기
- ☐ EasyBib으로 직접 내보내기
- ☒ CSV 다운로드

4

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
1	Article Title	Author	Journal Title	ISSN	ISBN	Publication	Volume	Issue	First Page	Page Count	Accession	DOI	Publisher	Doctype	Subjects	Keywords	Abstract
2	Status, Ne	Dixon, Ma	American	00029602		May2003	108	6	1292	36	11275894		University	Article	Social movements; St	Individu	
3	Competitio	Bothner, M	American	00029602		May2003	108	6	1175	36	11275892		University	Article	Social influence; Peer	When is	
4	The New P	Carr, Patri	American	00029602		May2003	108	6	1249	43	11275889		University	Article	Social control; Sociol	This art	
5	"We Canne	Cooky, Ch	Sociology	07411235		Mar2017	34	1	1	11	1.22E+08	10.1123/s	Human Kin	Article	Sociology of sports; P	The arti	
6	Symbolic I	Puddephat	Przeglad S	17338069		Oct2017	13	4	142	9	1.27E+08		Redakcja F	Article	Symbolic i	Open-Acce	Symboli
7	Forms of k	Mead, Gec	Sociologic	00380261		Nov2017	65	4	628	16	1.26E+08	10.1177/0	Sage Public	Article	Theory of	body; Bou	The pot

1 저장하고 싶은 기사 선별 (또는 전체) 선택 후 반출(서지관 리도구)

2 CSV 다운로드 선택


3 저장 하기

4 엑셀 시트에서 CSV 형식으로 다운로드

CINAHL Heading (주제어)

Important

- 키워드 vs 주제어
- CINAHL 주제어 (CINAHL Heading)을 이용한 검색 & 탐색



CINAHL Heading

CINAHL Headings? (CINAHL 주제어?)

- 1) CINAHL Headings는 CINAHL만의 통제어휘 시소러스로 **간호학 및 보건의학 관련 전문인들에 의해 전문용어를 반영**하고자 설계
- 2) MEDLINE (PubMed) 의 통제어휘집인 **MeSH**를 기반으로 제작 (현재 15,300+가지의 주제어)
 - 매 년 새로운 단어(주제어) 추가 & 관리
- 3) CINAHL에 색인된 **모든 기사는 해당 기사를 가장 잘 표현하는 주제어 (Subject Headings) 부여**
 - 주제어를 통한 상세하고 정확한, 효과적인 검색 가능
 - 상위주제 및 하위주제 등 관련기사 검색 시 효율적 (주제어의 트리구조 및 부표제어 제공)

주제어 검색 vs 키워드 검색?

Important

※ 키워드 검색은 보통 자연어 검색이라 칭함

주제어란 동일한 뜻을 가지고 있는 여러 단어를 대표하는 한 가지 단어.

특히, 검색할 때 주제어를 이용하면 훨씬 더 효율적인 탐색/검색을
진행할 수 있음.

ex) Cancer = neoplasms, tumor, carcinoma, etc.



대표 용어, 주제어

이를 모아 제공하는 기능 = CINAHL주제 (CINAHL Headings)

[새 검색](#)

CINAHL 주제어

[중심 관리 시트](#)

[더 보기 ▾](#)

[로그인](#)

[폴더](#)

[환경설정](#)


[언어 ▾](#)

[도움말](#)

[종료](#)

Click!

CINAHL Headings
주제어 탐색으로 접속!



검색: CINAHL Plus with Full Text | 데이터베이스 선택

아무 키워드나 입력합니다.

검색

?

[검색 옵션 ▸](#)
[기본 검색](#)
[고급 검색](#)
[검색 기록](#)

주제어 (통제 어휘)가 중요한 이유

- 찾고자 하는 주제에 대한 검색 결과의 효율성
- 실제 주제어를 가지고 논문의 대표 저자 키워드로 쓰기도 함

새 검색 출판물 **CINAHL 주제** Click! 더 보기 ▾

데이터베이스: CINAHL Plus with Full Text [?]
EBSCOhost

기본 검색 고급 검색 검색 기록

CINAHL Subject Headings 자습서 보기

1 dysphasia 찾아보기
Click!

● 전방일치 검색 ● 용어포함 검색 ● 관련도순

- 1 통제 어휘(주제어)를 판단 또는 검색 질의어로 만들기 위해 키워드 입력
- 2 검색한 키워드가 실제 통제 어휘(주제어)로 쓰이고 있는지 확인

Dysphasia 사용: [Aphasia](#)

⇒ *Dysphasia* (실어증) 라는 키워드는 CINAHL Headings 에서 *Aphasia* 로 사용되고 있으며, *Aphasia* 라는 통제 어휘(주제어)로 검색 할 수 있도록 유도

건 검색 결과: dysphasia

부표목을 보려면 입력란을 선택
합니다. | 트리를 보려면
링크된 용어 클릭

2 Dysphasia 사용: [Aphasia](#) Click!

3 확장 (+) 주요 개념 범위

<input type="checkbox"/> Aphasia, Conduction	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Anomia	<input type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/> Aphasia	<input type="checkbox"/>	<input type="checkbox"/>	

- 3 확장: 하위 개념까지 함께 검색하고자 할 때 클릭
주요 개념: 해당 키워드를 주요 주제어로 가지고 있는 결과만 보고자 할 때 클릭 (보통 주요 주제어는 한 문헌 당 3~5개 정도 포함)
범위: 해당 주제어의 뜻이 어떤 범위까지 나타내는 지 그 정의의 범위를 팝업으로 제공

The screenshot illustrates the CINAHL database interface for searching on the topic of Aphasia. It is divided into three main sections:

- Left Panel (Tree Structure):** Shows a hierarchical tree of subjects. Under 'Language Disorders', 'Aphasia' is selected (indicated by a checkmark and a 'Click!' callout). Below it, specific types of aphasia are listed: Aphasia, Broca; Aphasia, Childhood; Aphasia, Conduction; Aphasia, Transcortical Motor; Aphasia, Transcortical Sensory; and Aphasia, Wernicke.
- Middle Panel (Subheadings):** Titled 'Subheadings for: Aphasia', it lists various subtopics with checkboxes. The '모든 부표목 포함' (Include all subheadings) option is selected (indicated by a checkmark and a '5' callout). Other subheadings include Blood/BL, Cerebrospinal Fluid/CF, Chemically Induced/CI, Classification/CL, Complications/CO, Diagnosis/DI, Diet Therapy/DH, Drug Therapy/DT, Economics/EC, Education/ED, Embryology/EM, Epidemiology/EP, Ethical Issues/EI, and Ethnology/EH.
- Right Panel (Search Results):** Shows the search results for 'Aphasia'. A 'Click!' callout points to the search bar. The results list includes a study titled '1. The Relationship Between Non-Orthographic Language Abilities and Reading Performance in Chronic Aphasia: An Exploration of the Primary Systems Hypothesis'.

- 4 해당 주제어의 전체적인 트리(Tree) 구조를 통해 관련 주제어들 간의 관계 확인 가능
- 5 부표목 (부주제어): 특정 하위 주제어만 제한하여 검색하기 위한 하위 주제어 모음 (제한하지 않을 경우는 '모든 부표목 포함' 선택)
- 6 선택된 검색 질의어 확인 및 데이터베이스 검색 결과로 이동

- 1 추가 용어(통제 어휘)를 추가 조합하기 위해 클릭
- 2 새로운 용어 입력 및 검색
- 3 새로운 용어 동일한 방법으로 추가 및 조합하기
- 4 조합된 용어들 확인 및 결과 보기

건 검색 결과: Breast cancer Subheadings for: Breast Neoplasms

부표목을 보려면 입력란을 선택합니다. | 트리를 보려면 링크된 용어 클릭

확장 (+) | 주요 개념 | 범위

☒ 모든 부표목 포함 또는 하나 이상의 부표목을 선택하여 검색 제한

검색어 | 확장 (+) | 주요 개념

Breast Cancer 사용: [Breast Neoplasms](#)

☐ Carcinoma, Lobular

☐ Breast Neoplasms, Male

☒ Breast Neoplasms

☐ Carcinoma, Ductal, Breast

☐ Hereditary Breast and Ovarian Cancer Syndrome

Lobular Breast Cancer 사용: [Carcinoma, Lobular](#)

Breast Cancer, Male 사용: [Breast Neoplasms, Male](#)

Breast Cancer, Lobular 사용: [Carcinoma, Lobular](#)

Neoplasms, Breast, Male 사용: [Breast Neoplasms, Male](#)

Neoplasms Breast 사용: [Breast Neoplasms](#)

Male Breast Neoplasms 사용: [Breast Neoplasms, Male](#)

Lobular Breast Neoplasms 사용: [Carcinoma, Lobular](#)

Ductal Carcinoma, Breast 사용: [Carcinoma, Ductal, Breast](#)

Ductal Breast Carcinoma 사용: [Carcinoma, Ductal, Breast](#)

☐ Breast cancer (키워드별 검색) ?

이전 | 더보기 | **추가 용어 찾아보기**

2 이전에 선택한 검색어가 보관되고 있습니다. 이전 검색어 지우기

CINAHL Headings | [자습서 보기](#)

psychological stress | **찾아보기**

☐ 다음으로 시작하는 용어 ☐ 다음을 포함하는 용어 ☒ 관련도순

3 Psychological Stress 사용: [Stress, Psychological](#)

☒ Stress, Psychological

☐ Critical Incident Stress

☐ Stress Management

☐ Stress

☐ Lazarus Theory of Stress and Coping

☒ 모든 부표목 포함 또는 하나 이상의 부표목을 선택하여 검색 제한

☐ Blood/BL

☐ Cerebrospinal Fluid/CF

☐ Chemically Induced/CI

☐ Classification/CL

☐ Complications/CO

☐ Diagnosis/DI

☐ Diet Therapy/DH

☐ Drug Effects/DE

데이터베이스 검색


검색어 | 확장 (+) | 주요 개념

Breast Neoplasms

Stress, Psychological

Combine selections with: ☐ AND ☒ OR

4



CINAHL[®] *Plus*
with Full Text

Thank you